

EN62479 TEST REPORT

On Behalf of

Shenzhen Xinyuda Technology Co., Ltd

Product Name: Anti-gravity humidifier Bluetooth speaker

Trademark: N/A

Model Number: Y13

Prepared For: Shenzhen Xinyuda Technology Co., Ltd

Address: 1005, Block A, Sihai Yunchuang, Houting Community, Shajing Street,
Bao'an District, Shenzhen

Prepared By: Shenzhen Huaxiang Testing Co., Ltd

Address: 201, Building A10, Fuhai Information Port, Fuhai Street, Bao'an District,
Shenzhen City

Report No.: HUAX240319042KR

TEST REPORT DECLARATION

Applicant : Shenzhen Xinyuda Technology Co., Ltd

Address : 601, No.53-8 and 53-18, Fuan West road, Fuchenao Community,
Pinghu Longgang Dist., Shenzhen, China.

EUT Description : Anti-gravity humidifier Bluetooth speaker

Model Number : Y13

Test Date : Mar. 18, 2024 - Mar. 22, 2024

Date of Report : Mar. 22, 2024

Test Standards:

EN62479:2010

The EUT described above is tested by Huaxiang Testing Technology Co , Ltd EMC Laboratory to determine the maximum emissions from the EUT and ensure the EUT to be compliance with the immunity requirements of the EUT. huaxiang is assumed full responsibility for the accuracy of the test results. Also, this report shows that the EUT technically complies with the EN62479:2010 requirements.


The test report is valid for above tested sample only and shall not be reproduced in part without written approval of the Shenzhen Huaxiang Testing Co , Ltd.

Joan Wang

Prepared by (Test Engineer):

Amy Jiang

Approved (Manager)



General Information

General Description Of EUT

Equipment	Anti-gravity humidifier Bluetooth speaker
Brand Name	N/A
Model Name.	Y13
OEM Brand/Model Name	N/A
Model Difference	Remark: supplementary models are similar except the model name for different power. All the tests of this report are carried on Y13.
Applicant	Shenzhen Xinyuda Technology Co., Ltd
Applicant Address	1005, Block A, Sihai Yunchuang, Houting Community, Shajing Street, Bao'an District, Shenzhen
Manufacturer	Shenzhen Xinyuda Technology Co., Ltd
Manufacturer Address	1005, Block A, Sihai Yunchuang, Houting Community, Shajing Street, Bao'an District, Shenzhen
Product Description	The EUT is Anti-gravity humidifier Bluetooth speaker Based on the application, features, or specification exhibited in User's Manual, the EUT is considered as an ITE/Computing Device. More details of EUT technical specification, please refer to the User's Manual.
Channel List	/
Power Source	DC 5V
Power Rating	DC 5V 5W
Connecting I/O Port(s)	Please refer to the User's Manual
Products Covered	N/A

Note:

- For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.

EN 62479 REQUIREMENT

GENERAL INFORMATION

The essential requirements of Directive 99/5/ec in the article 3.1(a) and the limits must be taken from Council Recommendation 2014/53/EU for General Population or from the ICNIRP Guidelines for Occupational Exposure, EN 62479:2010 assesment of the compliance of low-power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)

Limit

A. Typical usage, installation and the physical characteristics of equipment make it inherently compliant with the applicable EMF exposure levels such as those listed in the bibliography. This low-power equipment includes unintentional (or non-intentional) radiators, for example incandescent light bulbs and audio/visual (A/V) equipment, information technology equipment (ITE) and multimedia equipment (MME) that does not contain radio transmitters.

NOTE Equipment is described as A/V equipment, ITE or MME if its main use is playback/recording of music, voice or images, or processing of digital information.

B. The input power level to electrical or electronic components that are capable of radiating electromagnetic energy in the relevant frequency range is so low that the available antenna power and/or the average total radiated power cannot exceed the low-power exclusion level defined in 4.2.

C. The available antenna power and/or the average total radiated power are limited by product standards for transmitters to levels below the low-power exclusion level defined in 4.2.

D. Measurements or calculations show that the available antenna power and/or the average total radiated power are below the low-power exclusion level defined in 4.2.

2.3 Result

PASS

The available antenna power of this EUT is **1.95mW(2.679dBm)** the power are below the low-power exclusion level defined in 4.2(Pmax: 20mW).

APPENDIX- PHOTOS OF EUT



Photo 1




Photo 2




Photo 3



Photo 4



Photo 5




Photo 6




Photo 7




Photo 8




Photo 9




Photo 10




Photo 11

*****END OF REPORT*****